Index of Subjects

Acacia saligna
Acacia saligna as a supplementary feed for grazing desert sheep and goats (Degen *et al.*), 77
Agriculture
Global change and the challenges for agriculture and forestry (Awmack *et al.*), 199
Ammonium-nitrogen
In vitro short-term study of ammonium-nitrogen production from cattle urine: influence of ampicillin, hydroquinone and animal litter materials (Nimenya *et al.*), 57
Ampicillin
In vitro short-term study of ammonium-nitrogen production from cattle urine: influence of ampicillin, hydroquinone and animal litter materials (Nimenya *et al.*), 57
Arachis hypogaea
Escape and tolerance to high temperature at flowering in groundnut (*Arachis hypogaea* L.) (Craufurd *et al.*), 371
Australian
An examination of the efficiency of Australian crop variety evaluation programmes (Cullis *et al.*), 213
Barley
Long-term yield patterns in barley-based cropping systems in Northern Syria. 1. Comparison of rotations (Jones and Singh), 223
Long-term yield patterns in barley-based cropping systems in Northern Syria. 2. The role of feed legumes (Jones and Singh), 237
Long-term yield patterns in barley-based cropping systems in Northern Syria. 3. Barley monocropping (Jones and Singh), 251
Bean *see Phaseolus vulgaris*
Bos indicus
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
Bos taurus
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
Brachiaria
Shearing strength as an additional selection criterion for quality in Brachiaria pasture ecotypes (Hughes *et al.*), 123
Bradyrhizobium japonicum
The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate (Pan and Smith), 19
Broadleaf trees
The n-alkane concentrations in buds and leaves of browsed broadleaf trees (Piasentier *et al.*), 311
Caecal fermentation
In vitro caecal fermentation of nitrogenous substrates in rabbits (Marounek *et al.*), 437
Cattle
In vitro short-term study of ammonium-nitrogen production from cattle urine: influence of ampicillin, hydroquinone and animal litter materials (Nimenya *et al.*), 57
The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility (Williamson *et al.*), 297
Cichorium intybus
The effect of various agronomic practices on the yield of chicory (*Cichorium intybus*) (Patel *et al.*), 271
Chicory *see Cichorium intybus*
Chromium oxide
The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility (Williamson *et al.*), 297
Climate change
Climate change: a response surface study of the effects of CO_2 and temperature on the growth of French beans (Wurr *et al.*), 379
Clonal populations
Morphology of white clover during development from seed to clonal populations in grazed pastures (Brock *et al.*), 103
C and N
C and N mineralization of composted and anaerobically stored ruminant manure in differently textured soils (Thomsen and Olesen), 151
CO_2
Climate change: a response surface study of the effects of CO_2 and temperature on the growth of French beans (Wurr *et al.*), 379
Composting
Nitrogen mass balance in deep litter during the pig fattening cycle and during composting (Møller *et al.*), 287
Coriander
Effects of planting date and dinocap applications on the control of powdery mildew and yields of seed and seed oil in coriander (Kalra *et al.*), 193
Cortisol
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203

Cowpea
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399
Dairy cows
The combination of the n-alkanes and ^{13}C techniques to estimate individual dry matter intakes of pasture and maize silage by grazing dairy cows (García *et al.*), 47
Deep litter
Nitrogen mass balance in deep litter during the pig fattening cycle and during composting (Møller *et al.*), 287
Development
A study of the plant, fibre and seed development in flax and linseed (*Linum usitatissimum*) grown at a range of seed rates (Easson and Molloy), 361
Digestibility
The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility (Williamson *et al.*), 297
Dry matter
Dry matter and nitrogen accumulation during pod wall development of white lupin genotypes differing in proportion of pod walls (Lagunes-Espinoza *et al.*), 389
Efficiency
An examination of the efficiency of Australian crop variety evaluation programmes (Cullis *et al.*), 213
Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system (Oljaca *et al.*), 261
Faeces
The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility (Williamson *et al.*), 297
Feeding motivation
Effects of parasitic status and level of feeding motivation on the diet selected by sheep grazing grass/clover swards (Hutchings *et al.*), 65
Feed intake
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
Feed legumes
Long-term yield patterns in barley-based cropping systems in Northern Syria. 2. The role of feed legumes (Jones and Singh), 237
Flax
A study of the plant, fibre and seed development in flax and linseed (*Linum usitatissimum*) grown at a range of seed rates (Easson and Molloy), 361
Flowering
Escape and tolerance to high temperature at flowering in groundnut (*Arachis hypogaea* L.) (Craufurd *et al.*), 371
Forage intake
The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility (Williamson *et al.*), 297
Forestry
Global change and the challenges for agriculture and forestry (Awmack *et al.*), 199
French beans
Climate change: a response surface study of the effects of CO_2 and temperature on the growth of French beans (Wurr *et al.*), 379
Goats
Acacia saligna as a supplementary feed for grazing desert sheep and goats (Degen *et al.*), 77
Factors affecting gestation length in goats and the effect of gestation period on kid survival (Mellado *et al.*), 85
Seasonal changes in nutrient intake and its utilization by range goats in semi-arid regions of India (Shinde *et al.*), 429
Genetic advance estimates
Genetic advance estimates for red clover (*Trifolium pratense*) grown under spaced plant and sward conditions (Real *et al.*), 11
Genistein
The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate (Pan and Smith), 19
Gestation
Factors affecting gestation length in goats and the effect of gestation period on kid survival (Mellado *et al.*), 85
A note on the effect of air temperature during gestation on birth weight and neonatal mortality of kids (Mellado *et al.*), 91
Grass/Clover
Effects of parasitic status and level of feeding motivation on the diet selected by sheep grazing grass/clover swards (Hutchings *et al.*), 65
Grassland soils
The effect of sulphur application on the efficiency of nitrogen use in two contrasting grassland soils (Brown *et al.*), 131
Grazed pastures
Morphology of white clover during development from seed to clonal populations in grazed pastures (Brock *et al.*), 103
Groundnut *see Arachis hypogaea*
Halophyte
Effects of irrigation water salinity and leaching fraction on the growth of six halophyte species (Noaman and El-Haddad), 279
Hay
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
Hydroquinone
In vitro short-term study of ammonium-nitrogen production from cattle urine: influence of ampicillin, hydroquinone and animal litter materials (Nimenya *et al.*), 57
India
Seasonal changes in nutrient intake and its utilization by range goats in semi-arid regions of India (Shinde *et al.*), 429
Intercropping
Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system (Oljaca *et al.*), 261
Intestinal digestion
Effect of tannic acid on rumen degradation and intestinal

digestion of treated soya bean meals in sheep (Hervás *et al.*), 305

Irrigation
Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system (Oljaca *et al.*), 261
Effects of irrigation water salinity and leaching fraction on the growth of six halophyte species (Noaman and El-Haddad), 279

Leaching
Effects of irrigation water salinity and leaching fraction on the growth of six halophyte species (Noaman and El-Haddad), 279

Leucadendron
The response of *Leucadendron* 'Safari Sunset' to the fertilization regime (Silber *et al.*), 27

Linseed *see Linum usitatissimum*

Linum usitatissimum
A study of the plant, fibre and seed development in flax and linseed (*Linum usitatissimum*) grown at a range of seed rates (Easson and Molloy), 361

Liveweight
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35

Lupinus albus
The causes of over-winter plant losses of autumn-sown white lupins (*Lupinus albus*) in different regions of the UK over three seasons (Shield *et al.*), 173
Dry matter and nitrogen accumulation during pod wall development of white lupin genotypes differing in proportion of pod walls (Lagunes-Espinoza *et al.*), 389

Maize *see Zea mays*

Maize silage
The combination of the n-alkanes and ^{13}C techniques to estimate individual dry matter intakes of pasture and maize silage by grazing dairy cows (García *et al.*), 47

Millet
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399

Monocropping
Long-term yield patterns in barley-based cropping systems in Northern Syria. 3. Barley monocropping (Jones and Singh), 251

Mycorrhizae
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399

N-alkanes
The combination of the n-alkanes and ^{13}C techniques to estimate individual dry matter intakes of pasture and maize silage by grazing dairy cows (García *et al.*), 47
The n-alkane concentrations in buds and leaves of browsed broadleaf trees (Piasentier *et al.*), 311

Near infrared spectroscopy
Prediction of chemical, nutritive and agronomic characteristics of wheat by near infrared spectroscopy (Garnsworthy *et al.*), 409

Neonatal mortality
A note on the effect of air temperature during gestation on birth weight and neonatal mortality of kids (Mellado *et al.*), 91

Nitrate
The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate (Pan and Smith), 19

Nitrogen
The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate (Pan and Smith), 19
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
The effect of sulphur application on the efficiency of nitrogen use in two contrasting grassland soils (Brown *et al.*), 131
Net changes in soil and crop nitrogen in relation to the performance of winter wheat given wide-ranging annual nitrogen applications at Ropsley, UK (Bhogal *et al.*), 139
Nitrogen mass balance in deep litter during the pig fattening cycle and during composting (Møller *et al.*), 287
Dry matter and nitrogen accumulation during pod wall development of white lupin genotypes differing in proportion of pod walls (Lagunes-Espinoza *et al.*), 389

Northern Syria
Long-term yield patterns in barley-based cropping systems in Northern Syria. 1. Comparison of rotations (Jones and Singh), 223
Long-term yield patterns in barley-based cropping systems in Northern Syria. 2. The role of feed legumes (Jones and Singh), 237
Long-term yield patterns in barley-based cropping systems in Northern Syria. 3. Barley monocropping (Jones and Singh), 251

Oestradiol – 17β
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203

Oilseed rape
Breeding oilseed rape for pod shattering resistance (Morgan *et al.*), 347

Parturition
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203

Pasture
The combination of the n-alkanes and ^{13}C techniques to estimate individual dry matter intakes of pasture and maize silage by grazing dairy cows (García *et al.*), 47

Perennial
Effect of sward cutting management on the relative performance of perennial varieties (Gilliland and Mann), 113

Phaseolus vulgaris
Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system (Oljaca *et al.*), 261

Phosphorus
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399
Pig
Nitrogen mass balance in deep litter during the pig fattening cycle and during composting (Møller *et al.*), 287
Pod
Breeding oilseed rape for pod shattering resistance (Morgan *et al.*), 347
Polyunsaturated fatty acids
Rumen biohydrogenation of *n*-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep (Wachira *et al.*), 419
Potassium
Effect of potassium fertilizer on the yield, quality and potassium offtake of sugar beet crops grown on soils of different potassium status (Milford *et al.*), 1
Potato
A dynamic model for responsive scheduling of potato irrigation based on simulated water-use and yield (Ejieji and Gowing), 161
Powdery mildew
Effects of planting date and dinocap applications on the control of powdery mildew and yields of seed and seed oil in coriander (Kalra *et al.*), 193
Prediction
Prediction of chemical, nutritive and agronomic characteristics of wheat by near infrared spectroscopy (Garnsworthy *et al.*), 409
Pregnancy
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203
Progesterone
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203
Protein
Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay (Hennessy *et al.*), 35
Rabbits
In vitro caecal fermentation of nitrogenous substrates in rabbits (Marounek *et al.*), 437
Red clover *see Trifolium pratense*
Rotations
Long-term yield patterns in barley-based cropping systems in Northern Syria. 1. Comparison of rotations (Jones and Singh), 223
Rumen
Rumen biohydrogenation of *n*-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep (Wachira *et al.*), 419
Rumen degradation
Effect of tannic acid on rumen degradation and intestinal digestion of treated soya bean meals in sheep (Hervás *et al.*), 305
Ruminant manure
C and N mineralization of composted and anaerobically stored ruminant manure in differently textured soils (Thomsen and Olesen), 151
Safari Sunset *see Leucadendron*
Salinity
Effects of irrigation water salinity and leaching fraction on the growth of six halophyte species (Noaman and El-Haddad), 279
Seasonal
Seasonal changes in nutrient intake and its utilization by range goats in semi-arid regions of India (Shinde *et al.*), 429
Seed
Morphology of white clover during development from seed to clonal populations in grazed pastures (Brock *et al.*), 103
Shearing strength
Shearing strength as an additional selection criterion for quality in *Brachiaria* pasture ecotypes (Hughes *et al.*), 123
Sheep
Effects of parasitic status and level of feeding motivation on the diet selected by sheep grazing grass/clover swards (Hutchings *et al.*), 65
Acacia saligna as a supplementary feed for grazing desert sheep and goats (Degen *et al.*), 77
Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol – 17β and cortisol throughout pregnancy and around parturition in sheep (El-Belely *et al.*), 203
Effect of tannic acid on rumen degradation and intestinal digestion of treated soya bean meals in sheep (Hervás *et al.*), 305
Rumen biohydrogenation of *n*-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep (Wachira *et al.*), 419
Soils
C and N mineralization of composted and anaerobically stored ruminant manure in differently textured soils (Thomsen and Olesen), 151
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399
Sorghum
Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil (Bagayoko *et al.*), 399
Soyabean
The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate (Pan and Smith), 19
Soya bean meals
Effect of tannic acid on rumen degradation and intestinal digestion of treated soya bean meals in sheep (Hervás *et al.*), 305
Striga hermonthica
Effects of *Striga hermonthica* on yield components in maize (Adetimirin *et al.*), 185
Sugar beet
Effect of potassium fertilizer on the yield, quality and potassium offtake of sugar beet crops grown on soils of different potassium status (Milford *et al.*), 1
Sulphur
The effect of sulphur application on the efficiency of

nitrogen use in two contrasting grassland soils (Brown *et al.*), 131

Sward
Effect of sward cutting management on the relative performance of perennial varieties (Gilliland and Mann), 113

Tannic
Effect of tannic acid on rumen degradation and intestinal digestion of treated soya bean meals in sheep (Hervás *et al.*), 305

Temperature
A note on the effect of air temperature during gestation on birth weight and neonatal mortality of kids (Mellado *et al.*), 91
Escape and tolerance to high temperature at flowering in groundnut (*Arachis hypogaea* L.) (Craufurd *et al.*), 371
Climate change: a response surface study of the effects of CO_2 and temperature on the growth of French beans (Wurr *et al.*), 379

Trifolium pratense
Genetic advance estimates for red clover (*Trifolium pratense*) grown under spaced plant and sward conditions (Real *et al.*), 11

Varieties/Variety
Effect of sward cutting management on the relative performance of perennial varieties (Gilliland and Mann), 113
An examination of the efficiency of Australian crop variety evaluation programmes (Cullis *et al.*), 213

Water-use
A dynamic model for responsive scheduling of potato irrigation based on simulated water-use and yield (Ejieji and Gowing), 161

Wheat
Prediction of chemical, nutritive and agronomic characteristics of wheat by near infrared spectroscopy (Garnsworthy *et al.*), 409

White clover
Morphology of white clover during development from seed to clonal populations in grazed pastures (Brock *et al.*), 103

White lupins *see Lupinus albus*

Winter cereals
Factors affecting the yield of winter cereals in crop margins (Wilcox *et al.*), 335

Winter wheat
Net changes in soil and crop nitrogen in relation to the performance of winter wheat given wide-ranging annual nitrogen applications at Ropsley, UK (Bhogal *et al.*), 139

Yield
A dynamic model for responsive scheduling of potato irrigation based on simulated water-use and yield (Ejieji and Gowing), 161
Long-term yield patterns in barley-based cropping systems in Northern Syria. 1. Comparison of rotations (Jones and Singh), 223
Long-term yield patterns in barley-based cropping systems in Northern Syria. 2. The role of feed legumes (Jones and Singh), 237
Long-term yield patterns in barley-based cropping systems in Northern Syria. 3. Barley monocropping (Jones and Singh), 251
The effect of various agronomic practices on the yield of chicory (*Cichorium intybus*) (Patel *et al.*), 271

Zea mays
Effects of *Striga hermonthica* on yield components in maize (Adetimirin *et al.*), 185
Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system (Oljaca *et al.*), 261

Index of Authors

ABDEL-RAHMAN, H. A. *see* EL-BELELY, M. S.
ADETIMIRIN, V. O., AKEN'OVA, M. E. and KIM, S. K. Effects of *Striga hermonthica* on yield components in maize, 185
AKEN'OVA, M. E. *see* ADETIMIRIN, V. O.
ALBRECHT, K. A. *see* BROCK, J. L.
AL-QARAWI, A. A. *see* EL-BELELY, M. S.
AMARO, J. L. *see* MELLADO, M.
ANDERSEN, B. H. *see* TLLER, H. B.
ANSAY, M. *see* NIMENYA, H.
ARMSTRONG, M. J. see MILFORD, G. F. J.
ARTHUR, A. E. *see* MORGAN, C. L.
AWMACK, C. S., SMITH, P. AND PINTER, P. J., JR. Global change and the challenges for agriculture and forestry, 199

BAGAYOKO, M., GEORGE, E., RÖMHELD, V. and BUERKERT, A. Effects of mycorrhizae and phosphorus on growth and nutrient uptake of millet, cowpea and sorghum on a West African soil, 399
BARLOW, R. *see* WILLIAMSON, P. J.
BECKER, K. *see* DEGEN, A. A.
BELLETT-TRAVERS, D. M. *see* MILFORD, G. F. J.
BEN-JAACOV, J. *see* SILBER, A.
BENJAMIN, R. W. *see* DEGEN, A. A.
BHATTA, R. *see* SHINDE, A. K.
BHOGAL, A., ROCHFORD, A. D. and SYLVESTER-BRADLEY, R. Net changes in soil and crop nitrogen in relation to the performance of winter wheat given wide-ranging annual nitrogen applications at Ropsley, UK, 139
BLODEN, S. *see* NIMENYA, H.
BOATMAN, N. D. *see* WILCOX, A.
BOOCK, J. *see* HUGHES, N. R. G.
BORGES DO VALLE, C. *see* HUGHES, N. R. G.
BOVOLENTA, S. *see* PIASENTIER, E.
BROCK, J. L., ALBRECHT, K. A., TILBROOK, J. C. and HAY, M. J. M. Morphology of white clover during development from seed to clonal populations in grazed pastures, 103
BROWN, L., SCHOLEFIELD, D., JEWKES, E. C., PREEDY, N., WADGE, K. and BUTLER, M. The effect of sulphur application on the efficiency of nitrogen use in two contrasting grassland soils, 131
BRUCE, D. M. *see* MORGAN, C. L.
BUERKERT, A. *see* BAGAYOKO, M.
BUTLER, M. *see* BROWN, L.

CANART, B. *see* NIMENYA, H.
CHANEY, K. *see* WILCOX, A.
CHILD, R. *see* MORGAN, C. L.
CRAUFURD, P. Q., WHEELER, T. R., ELLIS, R. H., SUMMERFIELD, R. J. and VARA PRASAD, P. V. Escape and tolerance to high temperature at flowering in groundnut (*Arachis hypogaea* L.), 371
CULLIS, B. R., SMITH, A., Hunt, C. and GILMOUR, A. An examination of the efficiency of Australian crop variety evaluation programmes, 213
CVETKOVIC, R. *see* OLJACA, S.

DARNELL, R. E. *see* HENNESSY, D. W.
DEGEN, A. A., BENJAMIN, R. W., MISHORR, T., KAM, M., BECKER, K., MAKKAR, H. P. S. and SCHWARTZ, H. J. *Acacia saligna* as a supplementary feed for grazing desert sheep and goats, 77
DELAUNOIS, A. *see* NIMENYA, H.
DUŠKOVÁ, D. *see* MAROUNEK, M.

EASSON, D. L. and MOLLOY, R. M. A study of the plant, fibre and seed development in flax and linseed (*Linum usitatissimum*) grown at a range of seed rates, 361
EDMONDSON, R. N. *see* WURR, D. C. E.
EJIEJI, C. J. and GOWING, J. W. A dynamic model for responsive scheduling of potato irrigation based on simulated water-use and yield, 161
EL-BELELY, M. S., AL-QARAWI, A. A. and ABDEL-RAHMAN, H. A. Interrelationships between the blood coagulation profile and plasma concentrations of progesterone, oestradiol-17β and cortisol throughout pregnancy and around parturition in sheep, 203
EL-HADDAD, E.-S. *see* NOAMAN, M. N.
ELLIS, R. H. *see* CRAUFURD, P. Q.
ENSER, M. *see* WACHIRA, A. M.

FEGEROS, K. *see* GARNSWORTHY, P. C.
FELLOWS, J. R. *see* WURR, D. C. E.
FRUTOS, P. *see* HERVÁS, G.

GANMORE-NEUMANN, R. *see* SILBER, A.
GARCÍA, J. E. *see* MELLADO, M.
GARCÍA, S. C., HOLMES, C. W., HODGSON, J. and MACDONALD, A. The combination of the n-alkanes and ^{13}C techniques to estimate individual dry matter intakes of herbage and maize silage by grazing dairy cows, 47
GARNSWORTHY, P. C., WISEMAN, J. and FEGEROS, K. Prediction of chemical, nutritive and agronomic characteristics of wheat by near infrared spectroscopy, 409
GEORGE, E. *see* BAGAYOKO, M.
GILLILAND, T. J. AND MANN, R. L. Effect of sward cutting management on the relative performance of perennial varieties, 113
GILMOUR, A. *see* CULLIS, B. R.
GIRÁLDEZ, F. J. *see* HERVÁS, G.
GOGEL, B. J. *see* WILLIAMSON, P. J.
GOPAL RAO, M. *see* KALRA, A.
GORDON, I. J. *see* HUTCHINGS, M. R.
GORDON, I. L. *see* REAL, D.
GOWING, J. W. *see* EJIEJI, C. J.

GUSTIN, P. *see* NIMENYA, H.

HALLETT, K. *see* WACHIRA, A. M.
HAY, M. J. M. *see* BROCK, J. L.
HENNESSY, D. W., WILLIAMSON, P. J. and DARNELL, R. E. Feed intake and liveweight responses to nitrogen and/or protein supplements by steers of *Bos taurus*, *Bos indicus* and *Bos taurus* × *Bos indicus* breed types offered a low quality of grass hay, 35
HENNESSY, D. W. *see* WILLIAMSON, P. J.
HERRERO, M. *see* HUGHES, N. R. G.
HERVÁS, G., FRUTOS, P., SERRANO, E., MANTECÓN, A. R. and GIRÁLDEZ, F. J. Effect of tannic acid on rumen degradation and intestinal digestion of treated soya bean meals in sheep, 305
HODGSON, J. *see* GARCÍA, S. C.
HODGSON, J. *see* REAL, D.
HOLMES, C. W. *see* GARCÍA, S. C.
HOUGHTON, B. J. *see* MILFORD, G. F. J.
HUGHES, N. R. G., BORGES DO VALLE, C., SABATEL, V., BOOCK, J., JESSOP, N. S. and HERRERO, M. Shearing strength as an additional selection criterion for quality in *Brachiaria* pasture ecotypes, 123
HUNT, C. *see* CULLIS, B. R.
HUTCHINGS, M. R., GORDON, I. J., ROBERTSON, E., KYRIAZAKIS, I. and JACKSON, F. Effects of parasitic status and level of feeding motivation on the diet selected by sheep grazing grass/clover swards, 65
HUYGHE, C. *see* LAGUNES-ESPINOZA, L. C.

JACKSON, F. *see* HUTCHINGS, M. R.
JARVIS, P. J. *see* MILFORD, G. F. J.
JESSOP, N. S. *see* HUGHES, N. R. G.
JEWKES, E. C. *see* BROWN, L.
JONES, J. *see* MILFORD, G. F. J.
JONES, M. J. and SINGH, M. Long-term yield patterns in barley-based cropping systems in Northern Syria. 1. Comparison of rotations, 223
JONES, M. J. and SINGH, M. Long-term yield patterns in barley-based cropping systems in Northern Syria. 2. The role of feed legumes, 237
JONES, M. J. and SINGH, M. Long-term yield patterns in barley-based cropping systems in Northern Syria. 3. Barley monocropping, 251

KALRA, A., PARAMESWARAN, T. N., RAVINDRA, N. S., GOPAL RAO, M. and KUMAR, S. Effects of planting date and dinocap applications on the control of powdery mildew and yields of seed and seed oil in coriander, 193
KAM, M. *see* DEGEN, A. A.
KIM, S. K. *see* ADETIMIRIN, V. O.
KOVACEVIC, D. *see* OLJACA, S.
KUMAR, S. *see* KALRA, A.
KYRIAZAKIS, I. *see* HUTCHINGS, M. R.

LADBROOKE, Z. L. *see* MORGAN, C. L.
LA DUONG, D. *see* NIMENYA, H.
LAGUNES-ESPINOZA, L. C., HUYGHE, C., PAPINEAU, J. and SHIELD, I. Dry matter and nitrogen accumulation during pod wall development of white lupin genotypes differing in proportion of pod walls, 389
LARA, L. M. *see* MELLADO, M.
LEACH, J. E. *see* SHIELD, I. F.
LEIGH, R. A. *see* MILFORD, G. F. J.

MACDONALD, A. *see* GARCÍA, S. C.
MAKKAR, H. P. S. *see* DEGEN, A. A.
MALOSSINI, F. *see* PIASENTIER, E.
MANN, R. L. *see* GILLILAND, T. J.
MANTECÓN, A. R. *see* HERVÁS, G.
MAROUNEK, M., SKŘIVANOVÁ, V. and DUŠKOVÁ, D. *In vitro* caecal fermentation of nitrogenous substrates in rabbits, 437
MELLADO, M., AMARO, J. L., GARCÍA, J. E. and LARA, L. M. Factors affecting gestation length in goats and the effect of gestation period on kid survival, 85
MELLADO, M., VERA, T., MEZA-HERRERA, C. and RUÍZ, F. A note on the effect of air temperature during gestation on birth weight and neonatal mortality of kids, 91
MEZA-HERRERA, C. *see* MELLADO, M.
MILFORD, G. F. J., ARMSTRONG, M. J., JARVIS, P. J., HOUGHTON, B. J., BELLETT-TRAVERS, D. M., JONES, J. and LEIGH, R. A. Effect of potassium fertilizer on the yield, quality and potassium offtake of sugar beet crops grown on soils of different potassium status, 1
MISHORR, T. *see* DEGEN, A. A.
MØLLER, H. B., SOMMER, S. G. and ANDERSEN, B. H. Nitrogen mass balance in deep litter during the pig fattening cycle and during composting, 287
MOLLOY, R. M. *see* EASSON, D. L.
MOMIROVIC, N. *see* OLJACA, S.
MORGAN, C. L., LADBROOKE, Z. L., BRUCE, D. M., CHILD, R. and ARTHUR, A. E. Breeding oilseed rape for pod shattering resistance, 347

NICKS, B. *see* NIMENYA, H.
NIMENYA, H., DELAUNOIS, A., BLODEN, S., LA DUONG, D., CANART, B., NICKS, B., GUSTIN, P. and Ansay, M. *In vitro* short-term study of ammonium–nitrogen production from cattle urine: influence of ampicillin, hydroquinone and animal litter materials, 57
NOAMAN, M. N. and EL-HADDAD, E.-S. Effects of irrigation water salinity and leaching fraction on the growth of six halophyte species, 279

OLESEN, J. E. *see* THOMSEN, I. K.
OLJACA, S., CVETKOVIC, R., KOVACEVIC, D., VASIC, G. and MOMIROVIC, N. Effect of plant arrangement pattern and irrigation on efficiency of maize (*Zea mays*) and bean (*Phaseolus vulgaris*) intercropping system, 261

PAN, B. and Smith, D. L. The effect of application of genistein to *Bradyrhizobium japonicum* culture and its rooting medium on soyabean growth nodulation and nitrogen assimilation in the presence of nitrate, 19
PAPINEAU, J. *see* LAGUNES-ESPINOZA, L. C.
PARAMESWARAN, T. N. *see* KALRA, A.
PATEL, J. B. *see* PATEL, J. R.
PATEL, J. R., PATEL, J. B., UPADHYAY, P. N. and USADADIA, V. P. The effect of various agronomic practices on the yield of chicory (*Cichorium intybus*), 271
PERRY, N. H. *see* WILCOX, A.
PIASENTIER, E., BOVOLENTA, S. and MALOSSINI, F. The n-alkane concentrations in buds and leaves of browsed broadleaf trees, 311
PINTER, P. J., JR. *see* AWMACK, C. S.

PREEDY, N. *see* BROWN, L.

RAVINDRA, N. S. *see* KALRA, A.
REAL, D., GORDON, I. L. and HODGSON, J. Genetic advance estimates for red clover (*Trifolium pratense*) grown under spaced plant and sward conditions, 11
ROBERTSON, E. *see* HUTCHINGS, M. R.
ROCHFORD, A. D. *see* BHOGAL, A.
RÖMHELD, V. *see* BAGAYOKO, M.
RUÍZ, F. *see* MELLADO, M.

SABATEL, V. *see* HUGHES, N. R. G.
SANKHYAN, S. K. *see* SHINDE, A. K.
SCHOLEFIELD, D. *see* BROWN, L.
SCHWARTZ, H. J. *see* DEGEN, A. A.
SCOTT, T. *see* SHIELD, I. F.
SERRANO, E. *see* HERVÁS, G.
SHIELD, I. *see* LAGUNES-ESPINOZA, L. C.
SHIELD, I. F., SCOTT, T., STEVENSON, H. J., LEACH, J. E. and TODD, A. D. The causes of over-winter plant losses of autumn-sown white lupins (*Lupinus albus*) in different regions of the UK over three seasons, 173
SHINDE, A. K., SANKHYAN, S. K., BHATTA, R. and VERMA, D. L. Seasonal changes in nutrient intake and its utilization by range goats in a semi-arid region of India, 429
SILBER, A., GANMORE-NEUMANN, R. and BEN-JAACOV, J. The response of *Leucadendron* 'Safari Sunset' to the fertilization regime, 27
SINCLAIR, L. A. *see* WACHIRA, A. M.
SINGH, M. *see* JONES, M. J.
SKRIVANOVÁ, V. *see* MAROUNEK, M.
SMITH, A. *see* CULLIS, B. R.
SMITH, D. L. *see* PAN, B.
SMITH, P. *see* AWMACK, C. S.
SOMMER, S. G. *see* MØLLER, H. B.
STEVENSON, H. J. *see* SHIELD, I. F.
SUMMERFIELD, R. J. *see* CRAUFURD, P. Q.
SYLVESTER-BRADLEY, R. *see* BHOGAL, A.

THOMSEN, I. K. and OLESEN, J. E. C AND N MINERALIZATION OF COMPOSTED AND ANAEROBICALLY STORED RUMINANT MANURE IN DIFFERENTLY TEXTURED SOILS, 151
TILBROOK, J. C. *see* BROCK, J. L.
TODD, A. D. *see* SHIELD, I. F.

UPADHYAY, P. N. *see* PATEL, J. R.
USADADIA, V. P. *see* PATEL, J. R.

VARA PRASAD, P. V. *see* CRAUFURD, P. Q.
VASIC, G. *see* OLJACA, S.
VERA, T. *see* MELLADO, M.
VERMA, D. L. *see* SHINDE, A. K.

WACHIRA, A. M., SINCLAIR, L. A., WILKINSON, R. G., HALLETT, K., ENSER, M. and WOOD, J. D. Rumen biohydrogenation of *n*-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep, 419

WADGE, K. *see* BROWN, L.
WHEELER, T. R. *see* CRAUFURD, P. Q.
WILCOX, A., PERRY, N. H., BOATMAN, N. D. and CHANEY, K. Factors affecting the yield of winter cereals in crop margins, 335
WILKINSON, R. G. *see* WACHIRA, A. M.
WILLIAMSON, P. J., HENNESSY, D. W., GOGEL, B. J. and BARLOW, R. The estimation of faeces output in penned cattle by controlled release of chromium oxide and the subsequent accuracy of predicting forage intake with *in vitro* digestibility, 297
WILLIAMSON, P. J. *see* HENNESSY, D. W.
WISEMAN, J. *see* GARNSWORTHY, P. C.
WOOD, J. D. *see* WACHIRA, A. M.
WURR, D. C. E., EDMONDSON, R. N. and FELLOWS, J. R. Climate change: a response surface study of the effects of CO_2 and temperature on the growth of French beans, 379